


Simplified field tables

BMI-for-age BOYS Birth to 2 years (percentiles)		 World Health Organization				
Year: Month	Months	3rd	15th	Median	85th	97th
0: 0	0	11.3	12.2	13.4	14.8	16.1
0: 1	1	12.6	13.6	14.9	16.4	17.6
0: 2	2	13.8	14.9	16.3	17.8	19.2
0: 3	3	14.4	15.5	16.9	18.5	19.8
0: 4	4	14.7	15.7	17.2	18.7	20.1
0: 5	5	14.8	15.9	17.3	18.9	20.2
0: 6	6	14.9	15.9	17.3	18.9	20.3
0: 7	7	14.9	15.9	17.3	18.9	20.3
0: 8	8	14.9	15.9	17.3	18.8	20.2
0: 9	9	14.8	15.8	17.2	18.7	20.1
0:10	10	14.7	15.7	17.0	18.6	19.9
0:11	11	14.6	15.6	16.9	18.4	19.8
1: 0	12	14.5	15.5	16.8	18.3	19.6
1: 1	13	14.4	15.4	16.7	18.1	19.5
1: 2	14	14.3	15.3	16.6	18.0	19.3
1: 3	15	14.2	15.2	16.4	17.9	19.2
1: 4	16	14.2	15.1	16.3	17.8	19.1
1: 5	17	14.1	15.0	16.2	17.6	18.9
1: 6	18	14.0	14.9	16.1	17.5	18.8
1: 7	19	13.9	14.8	16.1	17.4	18.7
1: 8	20	13.9	14.8	16.0	17.4	18.6
1: 9	21	13.8	14.7	15.9	17.3	18.6
1:10	22	13.8	14.6	15.8	17.2	18.5
1:11	23	13.7	14.6	15.8	17.1	18.4
2: 0	24	13.7	14.5	15.7	17.1	18.3

WHO Child Growth Standards

Note: If a child aged less than 2 years is measured standing up, change the height to length by adding 0.7 cm BEFORE calculating BMI, because the BMI-for-age for Birth to 2 years is based on length. For children 2 to 5 years measured lying down, convert length to height by subtracting 0.7 cm BEFORE calculating BMI for application of the BMI-for-age chart.